

## Reference List

---

### FRAX<sup>®</sup> - Modelling approach

- Kanis JA, Johnell O, Oden A, Jonsson B, Dawson A, Dere W. Risk of hip fracture derived from relative risks: an analysis applied to the population of Sweden. *Osteoporosis International* 2000; 11: 120-127.
- Kanis JA, Johnell O, Oden A, Jonsson B, DeLaet C, Dawson A. Prediction of fracture from low bone mineral density measurements overestimates risk. *Bone* 2000; 26: 387-391.
- Kanis JA, Johnell O, Oden A, Jonsson B, Dawson A, Dere W. Risk of hip fracture derived from relative risks: an analysis applied to the population of Sweden. *Osteoporosis International* 2000; 11: 120-127.
- Kanis JA, Johnell O, Oden A, Jonsson B, De Laet C, Dawson A. Risk of hip fracture according to World Health Organization criteria for osteoporosis and osteopenia. *Bone* 2000;27: 585-590.
- Kanis JA, Johnell O, Oden A, Sernbo I, Redlund-Johnell I, Dawson A, de Laet C, Jonsson B. Long-term risk of osteoporotic fractures in Malmo. *Osteoporosis International* 2000; 11: 669-674. *(Slide 3)*
- Kanis JA, Johnell O, Oden A, Dawson A, De Laet C, Jonsson B. Ten year probabilities of osteoporotic fractures according to BMD and diagnostic thresholds. *Osteoporosis International* 2001; 12: 989-995. *(Slide 4)*
- Kanis JA, Johnell O, De Laet C, Jonsson B, Oden A, Oglesby A. International variations in hip fracture probabilities: implications for risk assessment. *Journal of Bone & Mineral Research* 2002; 17; 1237-1244. *(Slide 8)*
- De Laet C, Oden A, Johnell O, Jonsson B, Kanis JA. The impact of the use of multiple risk factors on case finding strategies: a mathematical framework. *Osteoporosis International* 2005; 16: 313-318.

### FRAX<sup>®</sup> - Meta-analyses

- Kanis JA, Johnell O, Johansson H, Oden A, Delmas P, Eisman J, et al. Prior clinical vertebral fractures are a particularly strong predictor of hip fracture: a meta-analysis. *Osteoporosis International* 2006; 17 (suppl 3); 365
- Johnell O, Kanis JA, Oden A, Johansson H, Gluer C, Fujiwara S, McCloskey EV, Melton LJ III, Delmas PD. A comparison of total hip BMD as a predictor of fracture risk: a meta-analysis. *Journal of Bone and Mineral Research* 2005; 20 (suppl 1): S4.
- Kanis JA, Johansson H, Oden A, Johnell O, De Laet C, Melton LJ, Tenenhouse A, Reeve J, Silman AJ, Pols HAP, Eisman JA, McCloskey EV, Mellstrom D. A meta-analysis of prior corticosteroid use and fracture risk. *Journal of Bone and Mineral Research* 2004; 19; 893-899.
- Kanis JA, Johnell O, De Laet C, Johansson H, Oden A, Delmas P, Eisman J, Fujiwara S, Garnero P, Kroger H, McCloskey EV, Mellstrom D, Melton III LJ, Pols H, Reeve J, Silman A, Tenenhouse A. A meta-analysis of previous fracture and subsequent fracture risk. *Bone* 2004; 35: 375-382.
- Kanis JA, Johansson H, Oden A, Johnell O, De Laet C, Eisman JA, McCloskey EV, Mellstrom D, Melton III LJ, Pols HA, Reeve J, Silman A, Tenenhouse A. A family history of fracture and fracture risk: a meta-analysis. *Bone* 2004; 35: 1029-1037.

Kanis JA, Johnell O, Oden A, Johansson H, De Laet C, Eisman JA, Fujiwara S, Kroger H, McCloskey EV, Mellstrom D, Melton LJ, Pols H, Reeve J, Silman AJ, Tenenhouse A. Smoking and fracture risk: a meta-analysis. *Osteoporosis International* 2005; 16: 155-162.

Kanis JA, Johansson H, Johnell O, Oden A, De Laet C, Eisman JA, Pols H, Tenenhouse A. Alcohol intake as a risk factor for fracture. *Osteoporosis International* 2005; 16: 737-742.

Johnell O, Kanis JA, Oden A, Johansson H, De Laet C, Delmas P, Eisman JA, Fujiwara S, Kroger H, Mellstrom D, Meunier PJ, Melton LJ III, O'Neill T, Pols H, Reeve J, Silman A, Tenenhouse A. Predictive value of BMD for hip and other fractures. *Journal of Bone and Mineral Research* 2005; 20: 1185-1194.

Kanis JA, Johansson H, Oden A, De Laet C, Johnell O, Eisman JA, McCloskey EV, Mellstrom D, Pols H, Reeve J, Silman A, Tenenhouse A. A meta-analysis of milk intake and fracture risk: low utility for case finding. *Osteoporosis International* 2005; 16: 799-804.

De Laet C, Kanis JA, Oden A, Johansson H, Johnell O, Delmas P, Eisman JA, Kroger H, Fujiwara S, Garnero P, McCloskey EV, Mellstrom D, Melton LJ III, Meunier PJ, Pols H, Reeve J, Silman A, Tenenhouse A. Body mass index as a predictor of fracture risk: a meta-analysis. *Osteoporosis International* 2005; 16: 1330-1338. (Slide 5)

## FRAX® - Reviews

WHO publication - Kanis JA, on behalf of the World Health Organisation Scientific Group. Assessment of osteoporosis at the primary health care level. WHO Collaborating Centre for Metabolic Bone Diseases, University of Sheffield 2008. (Slide 12)

[available on request from the WHO Collaborating Centre or the IOF]

World Health Organisation Scientific Group on the assessment of osteoporosis at the primary health care level. Summary Meeting Report. World Organisation 2007.

Kanis JA. Diagnosis of osteoporosis and assessment of fracture risk. *Lancet* 2002; 359: 1929-1936.

Kanis JA, Black D, Cooper C, Dargent P, Dawson-Hughes B, De Laet C, Delmas P, Eisman J, Johnell O, Jonsson B, Melton LJ, Oden A, Papapoulos S, Pols H, Rizzoli R, Silman A, Tenenhouse A on behalf of the International Osteoporosis Foundation and the National Osteoporosis Foundation, USA. A new approach to the development of assessment guidelines for osteoporosis. *Osteoporosis International* 2002; 13: 527-536.

Kanis JA, Borgstrom F, De Laet C, Johansson H, Johnell O, Jonsson B, Oden A, Zethraeus N, Pflieger B, Khaltayev N. Assessment of fracture risk. *Osteoporosis International* 2005; 16: 581-589. (Slide 6)

## FRAX® - Country-based application of FRAX®

Kanis JA, McCloskey EV, Johansson H, Strom O, Borgstrom F, Oden A on behalf of the National Osteoporosis Guideline Group. Case finding for the management of osteoporosis with FRAX® - assessment and intervention thresholds for the UK. *Osteoporosis International* 2009; 20:449-502; Erratum to *Osteoporosis International* 2008; 19:1395-1408. (Slide 13)

Kanis JA, Burlet N, Cooper C, Delmas PD, Reginster, JY, Borgström F, Rizzoli R, on behalf of the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis. European guidance for the diagnosis and management of osteoporosis in postmenopausal women. *Osteoporosis International* 2008; 19:388-428

Fujiwara S, Nakamura T, Orimo H, Hosoi T, Gorai I, Oden A, Johansson H, Kanis JA. Development and application of a Japanese model of the WHO fracture risk assessment tool (FRAX™). *Osteoporosis International* 2008; 19:429-435.

Siminoski K, Leslie WD, Frame H, Hodsman A, Josse R, Khan A, Lentle B, Levesque J, Lyons D, Tarulli G. Recommendations for bone mineral density reporting in Canada: a shift to absolute fracture risk assessment. *Journal of clinical densitometry* 2007; 10 (2):120-123.

Czerwiński E, Badurski JE, Marcinowska-Suchowierska E, Osieleniec J. Current understanding of osteoporosis according to the position of the World Health Organisation (WHO) and International Osteoporosis Foundation. *Orthopaedics Traumatology Rehabilitation* 2007; 9:337

Lippuner K, Johansson H, Kanis JA, Rizzoli R. Remaining lifetime and absolute 10-year probabilities of osteoporotic fracture in Swiss men and women. *Osteoporosis International* 2008; DOI 10.1007/s00198-008-0779-8

Tosteson ANA, Melton III LJ, Dawson-Hughes B, Baim S, Favus MJ, Khosla S, Lindsay RL. Cost-effective osteoporosis treatment thresholds: the United States perspective. *Osteoporosis International* 2008; 19:443-447

Dawson-Hughes B, Tosteson ANA, Melton III LJ, Baim S, Favus MJ, Khosla S, Lindsay RL. Implications of absolute fracture risk assessment for osteoporosis practice guidelines in the USA. *Osteoporosis International* 2008; 19:449-458

Kanis JA, Johnell O, Oden A, Johansson H, McCloskey E. FRAX™ and the assessment of fracture probability in men and women from the UK. *Osteoporosis International* 2008; 19:385-397. *(Slide 7, 10, 11)*

## **FRAX® tool**

FRAX WHO Fracture Risk Assessment Tool < <http://www.shef.ac.uk/FRAX> >. *(Slide 9)*

## **FRAX® - Background reading**

Johnell O and Kanis JA. An estimate of the worldwide prevalence and disability associated with osteoporotic fractures. *Osteoporosis International* 2006; 17:1726.

Japanese Osteoporosis Foundation and the International Osteoporosis Foundation. How fragile is her future? 2000 Survey Report; [www.iofbonehealth.org/policy-advocacy/survey-reports.html](http://www.iofbonehealth.org/policy-advocacy/survey-reports.html). *(Slide 1)*

Cooper C, Siris E, Adachi J, Adami S, Boonen S, Chapurlat R, Compston J, Diez-Pérez A, Roux C, Wyman A. *Osteoporosis International* 2009; 20 (suppl.1): S5-S22. *(Slide 1)*

Siris E, Chen Y-T, Abbott TA, Barrett-Connor E, Miller PD, Wehren LE, Berger ML. *Archives of Internal Medicine* 2004; 164:1108-1112. *(Slide 2)*

Elffors I, Allander E, Kanis JA, Gullberg B, Johnell O, Dequeker J, Dilsen G, Gennari C, Lopes Vaz AA, Lyritis G, Mazzuoli F, Miravet L, Passeri M, Perez Cano R, Rapado A, Ribot C. *Osteoporosis International* 1994; 4:253-263. *(Slide 8)*